L Number	Hits	Search Text	DB	Time stamp
1	19157	frequency adj spectrum	USPAT	2003/11/13 10:01
2	11785	(frequency adj spectrum) and phase	USPAT	2003/11/13 10:01
3	5500	((frequency adj spectrum) and phase) and	USPAT	2003/11/13 10:01
		transform\$		
4	1306	(((frequency adj spectrum) and phase) and	USPAT	2003/11/13 10:01
		transform\$) and smooth\$		
5	209	((((frequency adj spectrum) and phase) and	USPAT	2003/11/13 10:02
		transform\$) and smooth\$) and degradation		
6	192	(((((frequency adj spectrum) and phase)	USPAT	2003/11/13 10:04
•	ļ	and transform\$) and smooth\$) and		į
1	į	degradation) and filter\$		
7	5	382/254-275	USPAT	2003/11/13 10:05
8	3246	382/254-275.ccls.	USPAT	2003/11/13 10:05
9	2	(((((frequency adj spectrum) and phase)	USPAT	2003/11/13 10:07
		and transform\$) and smooth\$) and		
		degradation) and filter\$) and		
		382/254-275.ccls.		
10	1	5959966.pn.	USPAT	2003/11/13 10:07
11	1	5414782.pn.	USPAT	2003/11/13 10:07
12	1	5047968.pn.	USPAT	2003/11/13 10:08
13	1	5729631.pn.	USPAT	2003/11/13 10:08
14	1	6014468.pn.	USPAT	2003/11/13 10:08
15	1	5550935.pn.	USPAT	2003/11/13 10:08
16	1	5959966.pn.	USPAT	2003/11/13 10:08
17	1	6084227.pn.	USPAT	2003/11/13 10:08
18	1	5994690.pn.	USPAT	2003/11/13 10:09
19	1	5500685.pn.	USPAT	2003/11/13 10:09
20	1	5694484.pn.	USPAT	2003/11/13 10:09
21	1	5841911.pn.	USPAT	2003/11/13 10:09
22	1	5790709.pn.	USPAT	2003/11/13 10:09
23	1047	10-22	USPAT	2003/11/13 10:09
24	12	5959966.pn. 5414782.pn. 5047968.pn.	USPAT	2003/11/13 10:14
		5729631.pn. 6014468.pn. 5550935.pn.		
		5959966.pn. 6084227.pn. 5994690.pn.		
		5500685.pn. 5694484.pn. 5841911.pn.		
		5790709.pn.		
25	2	(5959966.pn. 5414782.pn. 5047968.pn.	USPAT	2003/11/13 10:11
		5729631.pn. 6014468.pn. 5550935.pn.		
		5959966.pn. 6084227.pn. 5994690.pn.		
		5500685.pn. 5694484.pn. 5841911.pn.		·
		5790709.pn.) and (frequency adj spectrum)		0000/11/10 10 10
26	6	(5959966.pn. 5414782.pn. 5047968.pn.	USPAT	2003/11/13 10:13
		5729631.pn. 6014468.pn. 5550935.pn.		
		5959966.pn. 6084227.pn. 5994690.pn. 5500685.pn. 5694484.pn. 5841911.pn.		
İ		5500685.pn. 5694484.pn. 5841911.pn. 5790709.pn.) and phase		
27	5	((5959966.pn. 5414782.pn. 5047968.pn.	USPAT	2003/11/13 10:13
4 /	5	((3959966.pn. 5414782.pn. 5047968.pn. 5729631.pn. 6014468.pn. 5550935.pn.	USPAT	2003/11/13 10:13
		5959966.pn. 6084227.pn. 5994690.pn.		
		5500685.pn. 5694484.pn. 5841911.pn.		
		5790709.pn.) and phase) not ((5959966.pn.		
		5414782.pn. 5047968.pn. 5729631.pn.		
		6014468.pn. 5550935.pn. 5959966.pn.		
		6084227.pn. 5994690.pn. 5500685.pn.		
		5694484.pn. 5841911.pn. 5790709.pn.) and		
		(frequency adj spectrum))		
28	11		USPAT	2003/11/13 10:14
		5729631.pn. 6014468.pn. 5550935.pn.		
		5959966.pn. 6084227.pn. 5994690.pn.		
		5500685.pn. 5694484.pn. 5841911.pn.		
		5790709.pn.) and frequency		
29	5	((5959966.pn. 5414782.pn. 5047968.pn.	USPAT	2003/11/13 10:16
1]	5729631.pn. 6014468.pn. 5550935.pn.		111, 12, 13 10,10
1		5959966.pn. 6084227.pn. 5994690.pn.		
		5500685.pn. 5694484.pn. 5841911.pn.		
		5790709.pn.) and frequency) and phase		
30	192		USPAT	2003/11/13 10:17
		and transform\$) and smooth\$) and		
		degradation) and filter\$) and phase		
	1			·

31	6	((((((frequency adj spectrum) and phase)	USPAT	2003/11/13 10:20
		and transform\$) and smooth\$) and		
		<pre>degradation) and filter\$) and phase) and deconvolution</pre>		
120	6	***************************************	USPAT	2003/11/13 10:20
32	0	<pre>(((((((frequency adj spectrum) and phase) and transform\$) and smooth\$) and</pre>	OSPAI	2003/11/13 10.20
		degradation) and filter\$) and phase) and		
		aberration		
33	5	((((((((frequency adj spectrum) and phase)	USPAT	2003/11/13 10:20
		and transform\$) and smooth\$) and		
		degradation) and filter\$) and phase) and		
		aberration) not (((((((frequency adj		
		spectrum) and phase) and transform\$) and		
		smooth() and degradation) and filter() and		
		phase) and deconvolution)		

Search History 11/13/03 10:22:00 AM Page 2 C:\APPS\EAST\Workspaces\new.wsp

نعيران حرافا

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership	Publications/Services	Standards	Conferences	Careers/Jobs
IEE	E Xplore	•		Welcome United States Patent and Trademark Office
Help FAQ Peer Review	Terms IEEE Qui	ck Links	1	▼ » Search Results

Welcome to IEEE Xplore®

- O- Home
- O- What Can I Access?
- O- Log-out

Tables of Contents

- O- Journals & Magazines
- O- Conference Proceedings
- O- Standards

Search

- O- By Author
- O- Basic
- O- Advanced

Member Services

- O- Join IEEE
- O- Establish IEEE
 Web Account
- O- Access the IEEE Member Digital Library
- A Print Format

Your search matched 5 of 985444 documents.

Results are shown 15 to a page, sorted by publication year in descending order.

Results:

Journal or Magazine = JNL Conference = CNF Standard = STD .

1 A method for objective edge detection evaluation and detector parameter selection

Yitzhaky, Y.; Peli, E.;

Pattern Analysis and Machine Intelligence, IEEE Transactions on,

Volume: 25 Issue: 8, Aug. 2003

Page(s): 1027 -1033

[Abstract] [PDF Full-Text (3006 KB)] IEEE JNL

2 Evaluation of the blur parameters from motion blurred images

Yitzhaky, Y.; Kopeika, N.S.;

Electrical and Electronics Engineers in Israel, 1996., Nineteenth

Convention of , 5-6 Nov. 1996

Page(s): 216 -219

[Abstract] [PDF Full-Text (340 KB)] IEEE CNF

3 Restoration of images degraded by mechanical vibrations Hadar, O.; Adar, Z.; Cotter, A.; Yitzhaky, Y.; Kopeika, N.S.; Electrical and Electronics Engineers in Israel, 1995., Eighteenth Convention of , 7-8 March 1995 -3.4.4/3

[Abstract] [PDF Full-Text (268 KB)] IEEE CNF

4 Identification of motion blur for blind image restoration

Yitzhaky, Y.; Kopeika, N.S.;


Electrical and Electronics Engineers in Israel, 1995., Eighteenth Convention of , 7-8 March 1995 -3.4.3/5

[Abstract] [PDF Full-Text (372 KB)] IEEE CNF

5 Restoration of images degraded by mechanical vibrations

Hadar, O.; Adar, Z.; Cotter, A.; Yitzhaky, Y.; Kopeika, N.S.; Pattern Recognition, 1994. Vol. 3 - Conference C: Signal Processing, Proceedings of the 12th IAPR International Conference on , October 9-13, 1994

n --/-> 407 400 ...!



rage(s): 13/-139 vol.3

[Abstract] [PDF Full-Text (288 KB)] **IEEE CNF**

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join | IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved

IEEE HOME ! SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Public	ations/Services Standards Conferences	Careers/Jobs
IEEE,	Xplore®	Welcome United States Patent and Trademark Office
Help FAQ Term Reer/Review	S IEEE Ouick Links	▼ » Search Results
- What Can I Access? - Log-out Tables of Contents - Journals & Magazines - Conference Proceedings - Standards	Your search matched 7 of 985444 do A maximum of 7 results are displayed order.	d, 15 to a page, sorted by Relevance in descending g the current search expression or entering a new one and(psf)
O- Basic O- Advanced Member Services O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Member Digital Library Print Format	relation in optical CT reco Onodera, Y.; Kato, Y.; Shimi	zu, K.; 999. CLEO/Pacific Rim '99. The Pacific : 4 , 30 Aug3 Sept. 1999

2 Restoration of medical ultrasound images using two-dimensional homomorphic deconvolution

Taxt, T.;

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions

on, Volume: 42 Issue: 4, July 1995

Page(s): 543 -554

[Abstract] [PDF Full-Text (1224 KB)] IEEE JNL

3 Bayesian 2-D deconvolution: effect of using spatially invariant ultrasound point spread functions

Lango, T.; Lie, T.; Husby, O.; Hokland, J.;

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions

on, Volume: 48 Issue: 1, Jan. 2001

Page(s): 131 -141

[Abstract] [PDF Full-Text (1228 KB)] IEEE JNL

4 Evaluation of two conjugate gradient based algorithms for



quantitation in cardiac SPECT imaging

Sire, P.; Grangeat, P.; Iovleff, S.; La, V.; Mallon, A.;

Nuclear Science Symposium, 1996. Conference Record., 1996 IEEE,

Volume: 3, 2-9 Nov. 1996 Page(s): 1633 -1637 vol.3

[Abstract] [PDF Full-Text (416 KB)] **IEEE CNF**

5 Improvement of microassemblies ultrasonic images using adapted signal processing techniques

Bechou, L.; Ousten, Y.; Tregon, B.; Danto, Y.; Salagoity, M.; Electronics Manufacturing Technology Symposium, 1997., Twenty-First IEEE/CPMT International, 13-15 Oct. 1997

Page(s): 457 -462

[Abstract] [PDF Full-Text (616 KB)] IEEE CNF

6 A characterization of the scatter point-spread-function in terms of air gaps

Wagner, F.C.; Macovski, A.; Nishimura, D.G.;

Medical Imaging, IEEE Transactions on , Volume: 7 Issue: 4 , Dec.

1988

Page(s): 337 -344

[Abstract] [PDF Full-Text (624 KB)] IEEE JNL

7 Degraded image analysis: an invariant approach

Flusser, J.; Suk, T.;

Pattern Analysis and Machine Intelligence, IEEE Transactions on ,

Volume: 20 Issue: 6, June 1998

Page(s): 590 -603

[Abstract] [PDF Full-Text (1348 KB)] IEEE JNL

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

IEEE HOME ! SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

�IEEE

Membership Publications/Services Standards Confe	erences Careers/Jobs
IEEE Xplore®	Welcome United States Patent and Trademark Office
Help FAO Terms IEEE Quick Links	» Abstract Plus
Welcome to IEEE Xplore* SEARCH RESULTS [PDF FL	ıll-Text (1224 KB)] PREVIOUS NEXT

DOWNLOAD CITATION

C- Log-out Tables of Contents

O- What Can I Access?

O- Home

O- Journals & Magazines

Conference Proceedings

O- Standards

Search

O- By Author

O- Basic

O- Advanced

Member Services

O- Join IEEE
O- Establish IEEE
Web Account

O- Access the IEEE Member Digital Library

A Print Format

Restoration of medical ultrasound images using two-dimensional homomorphic deconvolution

Taxt, T.

Section for Med. Image & Pattern Anal., Bergen Univ.; This paper appears in: **Ultrasonics, Ferroelectrics and**

Frequency Control, IEEE Transactions on

Publication Date: Jul 1995 On page(s): 543-554 Volume: 42, Issue: 4 ISSN: 0885-3010 References Cited: 28 CODEN: ITUCER

INSPEC Accession Number: 5036121

Abstract:

Describes how two-dimensional (2D) homomorphic deconvolution can be used to improve the lateral and radial resolution of medical ultrasound images recorded by a sector scanner. The recorded radio frequency ultrasound image in polar coordinates is considered as a 2D sequence of angle and depth convolved with a 2D space invariant point-spread function (PSF). Each polar coordinate sequence is transformed into the 2D complex cepstrum domain using the fast Fourier transform for Cartesian coordinates. The low-angle and low-depth portion of this sequence is taken as an estimate of the complex cepstrum representation of the PSF. It is transformed back to the Fourier frequency domain and is used to compute the deconvolved angle and depth sequence by 2D Wiener filtering, Two-dimensional homomorphic deconvolution produced substantial improvement in the resolution of B-mode images of a tissue-mimicking phantom in vitro and of several human tissues in vivo. It was better than lateral or radial homomorphic deconvolution alone, and better than 2D Wiener filtering with a PSF recorded in vitro

Index Terms:

biomedical ultrasonics deconvolution image restoration medical image processing 2D Wiener filtering 2D homomorphic deconvolution 2D sequence 2D space invariant point-spread function B-mode images Cartesian coordinates fast Fourier transform human tissues lateral resolution medical diagnostic imaging medical ultrasound images restoration polar coordinates radial resolution radio frequency ultrasound



image tissue-mimicking phantom

Documents that cite this document

Select link to view other documents in the database that cite this one.

SEARCH RESULTS [PDF Full-Text (1224 KB)] PREVIOUS NEXT DOWNLOAD CITATION

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search |
Advanced Search

Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical
Support | Email Alerting
No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards C	onferences Careers/Jobs
IEEE Xplore®	Welcome United States Patent and Trademark Office
Help FAQ Terms IEEE Quick Links Peer Review	» Abstract Plus
Welcome to IEEE Xplore® SEARCH RESULTS [PDF	Full-Text (1348 KB)] PREVIOUS

O- Home

O- What Can I Access?

O- Log-out

Tables of Contents

O- Journals & Magazines

O- Conference Proceedings

O- Standards

Search

O- By Author

O- Basic

O- Advanced

Member Services

O- Join IEEE
O- Establish IEEE
Web Account

O- Access the IEEE Member Digital Library

Print Format

Degraded image analysis: an invariant approach

Flusser, J. Suk, T.

DOWNLOAD CITATION

Inst. of Inf. Theory & Autom., Czechoslovak Acad. of Sci., Prague;

This paper appears in: Pattern Analysis and Machine

Intelligence, IEEE Transactions on

Publication Date: Jun 1998 On page(s): 590-603 Volume: 20, Issue: 6 ISSN: 0162-8828 References Cited: 38

INSPEC Accession Number: 5975645

Abstract:

CODEN: ITPIDJ

Analysis and interpretation of an image which was acquired by a nonideal imaging system is the key problem in many application areas. The observed image is usually corrupted by blurring, spatial degradations, and random noise. Classical methods like blind deconvolution try to estimate the blur parameters and to restore the image. We propose an alternative approach. We derive the features for image representation which are invariant with respect to blur regardless of the degradation PSF provided that it is centrally symmetric. As we prove in the paper, there exist two classes of such features: the first one in the spatial domain and the second one in the frequency domain. We also derive so-called combined invariants, which are invariant to composite geometric and blur degradations. Knowing these features, we can recognize objects in the degraded scene without any restoration

Index Terms:

Fourier transforms image representation image restoration object recognition blind deconvolution blur degradations blurring composite geometric degradations degraded image analysis image representation invariant approach nonideal imaging system random noise spatial degradations spatial domain

Documents that cite this document

Select link to view other documents in the database that cite this one.



[PDF Full-Text (1348 KB)] PREVIOUS SEARCH RESULTS **CITATION**

DOWNLOAD

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search |
Advanced Search

Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical

Support | Email Alerting

No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved